

OIL/WATER SEPARATOR MH

200 LF ~ 12" CMP @ 25.56%


C.B. TYPE I
TOP = 25.00±
I.E. = 21.00±

80 LF ~ 12" CONC. @ 10%


END PIPE AT SEAWALL
I.E. = 2.00±

EXISTING HOUSES


SHORELINE DESIGNATION: RURAL RESIDENTIAL
SHORELINE ENVIRONMENT



This proposal involves the construction of a 12" concrete storm drainage line from the 76 lot subdivision of Busch Addition to a concrete seawall situated near the high water line of Carr Inlet. Approximately one-half of the storm drainage of this subdivision would drain through this line to Carr Inlet. Two hundred linear feet of the storm drainage line lies within the 200' Shoreline Management zone. All of the 76 lot subdivision of Busch Addition lies outside the Shoreline Management zone.



SCALE 1" = 200'



RECEIVED
DEVELOPMENT CENTER
SEP 21 1984
PIERCE COUNTY

RECEIVED
PIERCE COUNTY PUBLIC WORKS
PLANNING ENGINEERING SECTION

REVISIONS: 1
DESIGN: G.M. CHECKED: DATE: 7-88
DRAWN: J.D. SCALE: 1" = 200'

BUSCH ADDITION
SHORELINE MANAGEMENT PERMIT EXHIBIT
CITIZENS SERVICE CORP.
EDITHELL, WASHINGTON

STAPAN & ASSOCIATES, INC.
Engineers, Planners, Surveyors
520 5th Street, Suite A, Federal Way, Washington 98003
Phone: (206) 875-1234, Telex: 875123, Fax: (206) 875-1234

SHEET
1 of 1
JOB NO. 46021.00